# Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.

# Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.

## RENESAS TECHNOLOGY - CHIP 16 BIT MICROCOMPUTER M30263M3A-XXXFP MASK ROM CONFIRMATION FORM

Mask ROM number

	Date:	
t	Section Head	Supervisor
sip.	Signature	signature
Receipt		
Se		
ш		

Note: Please complete all items marked \*

		Company	TEL	ου	Submitted by	Supervisor
*	Customer		( )	uance nature		
		Date issued	Date:	Issi Sigi		

#### \* 1. Check sheet

Renesas processes the mask files generated by the mask file generation utilities out of those held on the floppy disks you give in to us, and forms them into masks. Hence, we assume liability provided that there is any discrepancy between the contents of these mask files and the ROM data to be burned into products we produce. Check thoroughly the contents of the mask files you give in.

Prepare 3.5inches 2HD(IBM format) floppy disks. And store only one mask fill in a floppy disk.

Microcomputer type No.:	M30263M3A-XXXFP									
File code:	[									(hex)
Mask file name:										.MSK (alpha-numeric 8-digit)

### \* 2. Mark specification

The mark specification differs according to the type of package. After entering the mark specification on the separate mark specification sheet (for each package), attach that sheet to this masking check sheet for submission to Renesas.

For M30263M3A-XXXFP, submit the 42P2R mark specification sheet.

### \* 3. Usage conditions

For our reference when testing our products, please reply to the following questions about the usage of the products you ordered.

(1) Which kind of oscillation circuit is used?

XIN-XOUT oscillator	XCIN-XCOUT oscillator
On chip oscillator	PLL frequency synthesizer
(2) Which kind of XIN-XOUT oscillation	n circuit is used?
Ceramic resonator	Quartz-crystal oscillator
External clock input	Other ( )
What frequency do you use?	
f(XIN) =	MHz

Mask ROM number

RENESAS TECHNOLOGY - CHIP 16 BIT MICROCOMPUTER M30263M3A-XXXFP MASK ROM CONFIRMATION FORM
(3) Which kind of XCIN-XCOUT oscillation circuit is used?
Ceramic resonator
External clock input Other ()
What frequency do you use?
f(XCIN) = kHz
<ul><li>(4) Which operating supply voltage do you use?</li><li>(Circle the operating voltage range of use)</li></ul>
2.7 3.0 3.3 3.6 3.9 4.2 4.5 5.0 5.5
<ul><li>(5) Which operating ambient temperature do you use?</li><li>(Circle the operating temperature range of use)</li></ul>
-40 -30 -20 -10 0 10 20 30 40 50 60 70 80 85
(6) Do you use I <sup>2</sup> C (Inter IC) bus function?
Not use Use
(7) Do you use IE (Inter Equipment) bus function?
Not use Use
(8) Which Voltage Detection function do you use?
Not use Use Vdet4
Use Vdet3
Thank you for your cooperation

\* 4. Special item (Indicate none if there is not specified item)