	Section	01	Chem	ical Product and Company Identification
Product type				EFTEC64T (Base material)+ Ni + Pd +Au (Plating layer1~3)
Issued Date				2010/11/16

Leadframe Safety Data Sheet

	Section 02 Classification of GHS			
Composition	Hazardous content	Level	Caution info.	Symbol
	Inhalation/skin sensitivity	Level.1	Warning	() ()
Ni	Carcinogen	Level.2	Warning	
	Reproduction toxicity	Level.1B	Danger	
	Body & internal organ toxicity (Single-Repeat exposure)	Level.1	Danger	

Note: For base material, pls refer attachment (Supplier MSDS).

Section 03 Composition and Information on Ingredients			
Material type	Composition	CAS No.	mass(%)
	Cr	7440-47-3	0.20~0.28
	Sn	7440-31-5	0.23~0.27
Base material	Zn	7440-66-6	0.18~0.26
	Cu	7440-50-8	Balance
	Total	-	100
Plating layer 1	Ni	7440-02-0	100
Plating layer 2	Pd	7440-05-3	100
Plating layer 3	Au	7440-57-5	100

UL-RP-0014 (Rev.0) 2/4

Emergency Overview	In solid form (ordinary service condition), this material is not			
	hazardous. Dust and fumes are hazardous materials.			
	Eye : Dust or fume can cause irritation consisting, swelling, and pain. May cause conjunctivitis with repeated exposures.			
Potential Health Effects	Skin : Material not expected to be absorbed through skin. Contact with dust may cause mild irritation consisting of redness and/or swelling.			
Lifects	Ingestion : Ingestion of large amounts of dust may cause nausea, vomiting, constipation, cramps, and or stomach pain.			
	Inhalation : Inhalation of high concentrations of powder, dust, or fume may cause respiratory and irritation, coughing, and difficulty breathing.			
HMIS CODE	Health : Not available	Flammability : Not available		
HMIS CODE	Physical Hazard : N/A	Personal Protection : N/A		
Physical and Chemical Hazards	Unknown.			
Specific Hazards	Unknown.			

	Section 05 First Aid Information		
	Eye Contact : Immediately flush out fume and dust particles with large amounts of water. If eye irritation develops, call a physician at once.		
	Skin Contact : If exposed to dust and fume, wash skin with plenty of water.		
First Aid	Ingestion : If dust is ingested, immediately blow nose and rinse mouth, and then		
	drink water to dilute. Consult a physician if symptoms develop.		
Different Exposed	Inhalation : If symptoms of lung irritation occur, remove from exposure area to		
Way	fresh air immediately. Keep affected person warm and at rest. Get medical		
	attention.		
Hazards Effects : None known.			
	Notes to Physicians: There is no specific antidote to the active ingredients in		
	this product; use symptomatic treatment.		

Section 06 Fire Fighting Measures		
Flash point	Not applicable	
UEL	Not applicable	
LEL	Not applicable	
Flammability Classification	Not applicable	
Extinguishing Media	Non-flammability	
Unyous Fire and Explosion Hezerde	Metal product does not present fire or explosion hazards	
Unusual Fire and Explosion Hazards	under normal conditions.	
Fire-Fighting Methods	Not specified	
Hazardous Combustion Products	Non-flammability	

Section 07 Accidental Release Measures

UL-RP-0014	(Rev.0)	3/4
------------	---------	-----

Precautions and Equipment	Not applicable for solid
Methods For Clean-up	Not applicable for solid
Personal Precaution	Not applicable for solid

Section 08 Handling And Storage		
Handling	Put safety gloves on to protect your hands from edges of products which might cut your hands.	
	Wear safety glasses when metal powders or chips are expected to be generated in the work.	
Storage	The environment of stocking area should be free from acid, alkali, chloride,	
	sulfide and other corrosive chemicals to prevent from rusting or corrosion.	

Section 09 Exposure Controls And Personal Protection		
Eye	Wear safety glasses when metal powders or chips are expected to be generated in the work.	
Skin	Put safety gloves on to protect your hands from edges of coils which might cut your hands.	
Ingestion	Protection not normally needed.	
Inhalation	Respiratory protection not normally needed. If dusting or chipping or powder occurs or fumes are generated, use a half-face or full-face respirator or mask.	
Engineering Control	Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated. Otherwise, use general exhaust ventilation.	
General Hygiene Considerations	Do not eat, drink, or smoke while using this product in dust form.	
Comment	Wearing a mask be recommended in the work such as abrasion and bufling which generates metal powders or chips.	

Section 10	Physical And Chemical Properties
Appearance	A solid body having metallic gloss
pH	Not applicable
Boiling Point	Not applicable
Decomposition	Not applicable
Temperature	Melting Point 1081°C (Base material)
Flash Point	Not applicable
Auto-ignition Temperature	Not applicable
Explosion Properties	Not applicable
Vapor Pressure	Not applicable
Vapor Density(Air=1)	Not applicable
Solubility In Water	Negligible

Chemical Stability Stable under normal temperature and pressure.	
	The condition of stocking area should be free from acid, alkali, chloride, sulfide and other corrosive chemicals to prevent from rusting or corrosion.
Materials TO AVOID	The condition of stocking area should be free from acid, alkali, chloride, sulfide and other corrosive chemicals to prevent from rusting or corrosion.
Hazardous Decomposition	Will not occur
Products	will not occur

Section 11 Stability And Reactivity

	Section 12 Disposal Information				
	The user of this material has the responsibility to dispose of unused materialWaste From Residuesresidues and containers in compliance with all relevant local, state and laws a				
		regulations regarding treatment, storage and disposal for hazardous and			
		non-hazardous wastes.			

<Notice>

To the best of our knowledge, certain and suspicious hazards are described herein for use in safety. However, we can't guarantee safety of the product, the accuracy and completeness of the information contained herein. The user must have final responsibility of hazards.

	Revision history							
Rev	Effective date	Page	Changes	Appoved by	Prepared by			
R e v .0	2010-11-16	-	New document	T.Takemoto	T. Hosokawa			