


IOL vs VOL (25°C / CMOS Output Port)


Prepared on Feb. 15th, 2001



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

IOL vs VOL (25°C / N-ch Open Drain Output Port)


Prepared on Feb. 15th, 2001



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

IOL vs VOL (-40°C / CMOS Output Port)


Prepared on Feb. 15th, 2001



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

IOL vs VOL (-40°C / N-ch Open Drain Output Port)


Prepared on Feb. 15th, 2001



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

IOL vs VOL (85°C / CMOS Output Port)


Prepared on Feb. 15th, 2001



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

IOL vs VOL (85°C / N-ch Open Drain Output Port)

Prepared on Feb. 15th, 2001



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.