Old Company Name in Catalogs and Other Documents

On April 1st, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1st, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.



REJ19B0252-0100

Mask ROM number	
-----------------	--

RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30280MC-XXXHP MASK ROM CONFIRMATION FORM

	Date:	
	Section head	Supervisor
ъ	signature	signature
Receipt		
e		
\simeq		

ı		T	ase complete all items marked*											
* Customer		Company					TEL	,	გ ნ	Submitted by	Supervisor			
	Customer	name					()	 anc atui					
		Date issued	Date:						lssuance signature					
*	*1. Check sheet Renesas processes the mask files generated by the mask file generation utilities out of those held on the floppy disks you give in to us, and forms them into masks. Hence, we assume liability provided that there is any discrepancy between the contents of these mask files and the ROM data to be burned into products we produce. Check thoroughly the contents of the mask files you give in. Prepare 3.5 inches 2HD (IBM format) floppy disks. And store only one mask file in a floppy disk. Microcomputer type No.:													
		patter type :						i						
	File code	e:						(hex)						
	Mask file	e name:						.MSK ((alpha-n	alpha-numeric 8-digit)				
*2. Mark specification The mark specification differs according to the type of package. After entering the mark specification on the separate mark specification sheet (for each package), attach that sheet to this masking check sheet for submission to Renesas. For the M30280MC-XXXHP, submit the 80P6Q mark specification sheet.														
*3. Usage Conditions For our reference when of testing our products, please reply to the following questions about the usage of the products you ordered.														
	(1) Which kind of oscillation circuit is used?													
		☐ XIN-XOU	⊤ oscillator			XCIN-XCO	UT oscilla	ator						
		□ On chip	oscillator			PLL frequ	ency syr	nthesizer						
	(2) Wh	ich kind of X	N-XOUT oscill	lation circuit	is	used?								
		□ Ceramic	resonator			Quartz-cr	ystal osc	illator						
		□ External	clock input			Other ()						

MHz

What frequency do you use?

 $f(X_{IN}) =$

Mask ROM number

RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30280MC-XXXHP MASK ROM CONFIRMATION FORM

*4. Special item (Indicate none if there is not specified item)

(3) Whic	Which kind of XCIN-XCOUT oscillation circuit is used?												
	□ Ce	Ceramic resonator						Quartz-crystal oscillator					
	☐ External clock input							☐ Other ()	
Wha	ıt frequ	uency	do you	use?									
	f(Xo	OIN) =				kl	Hz						
(4) Which						you u							
2.7		3.3											
										(V	')		
-40	le the	opera	ting te	mpera 0	ture r 10	range o		40	50	60	70	80	85 (°C)
(6) Do y	ou us	e I²C (Inter IC	C) bus	funct	ion?							
		ot use				Jse							
(7) Do y	ou us	e IE (lı	nter Ed	quipme	ent) b	us fund	ction?						
] No	ot use			□ (Jse							
(8) Whic	ch Vol	tage D	etectio	n fund	ction (do you	use?						
	☐ Not use ☐ Use						let4						
] Us	se Vde	t3										
Thank you c	ooper	ation.											