## Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: <a href="http://www.renesas.com">http://www.renesas.com</a>

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (<a href="http://www.renesas.com">http://www.renesas.com</a>)

Send any inquiries to http://www.renesas.com/inquiry.



REJ19B0206-0100

Mask ROM number	
-----------------	--

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30290MAT-XXXHP MASK ROM CONFIRMATION FORM

	Date:	
	Section head	Supervisor
pt	signature	signature
Receipt		
e		
$\simeq$		

_			Note : Please complete all items marked*										
		Company			٦	ΈL		υυ	Submitted by	Supervisor			
k	Customer	name			(		)	anc					
Custom	Customer	Date issued	Date:					Issuance signature					
*1. Check sheet Renesas processes the mask files generated by the mask file generation utilities out of those held on the floppy disks you give in to us, and forms them into masks. Hence, we assume liability provided that there is any discrepancy between the contents of these mask files and the ROM data to be burned into products we produce. Check thoroughly the contents of the mask files you give in. Prepare 3.5 inches 2HD (IBM format) floppy disks. And store only one mask file in a floppy disk.													
Microcomputer type No.: ☐ M30290MAT-XXXHP													
	File cod	e:					(hex)						
	Mask file	e name:					.MSK (a	(alpha-numeric 8-digit)					
*2. Mark specification  The mark specification differs according to the type of package. After entering the mark specification on the separate mark specification sheet (for each package), attach that sheet to this masking check sheet for submission to Renesas.  For the M30290MAT-XXXHP, submit the 80P6Q mark specification sheet.													
*3. Usage Conditions For our reference when of testing our products, please reply to the following questions about the usage of the products you ordered.													
(1) Which kind of oscillation circuit is used?													
		☐ XIN-XOU	⊤ oscillator		XCIN-XCOUT	oscilla	itor						
		□ On chip	oscillator		PLL frequen	cy syn	thesizer						
	(2) Which kind of XIN-XOUT oscillation circuit is used?												
		□ Ceramic	resonator		Quartz-cryst	al osc	illator						
		□ External	clock input		Other (		)						

MHz

What frequency do you use?

 $f(X_{IN}) =$ 

Mask ROM number

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30290MAT-XXXHP MASK ROM CONFIRMATION FORM

(3) Which	Which kind of XCIN-XCOUT oscillation circuit is used?										
	☐ Ceramic resonator					Quartz-crystal oscillator					
☐ External clock input						Other (				)	
What fi	What frequency do you use?										
1	(Xcin) =			kl	Ηz						
(4) Which (Circle	operating s the operat										
2.7 3.0		3.6 3.9	4.2			5.0		5.5			
								(V	<b>'</b> )		
· · · · · ·			•			_					
(5) Which (Circle	operating a the operat					e?					
-40 -30	0 -20	-10 0	10	20	30	40	50	60	70	80	85
											— (°C
(6) Do you	use l²C (Ir	nter IC) bu	s func	tion?							
	Not use	,		Use							
(7) Do you	use IE (In	ter Equipn			tion?						
	Not use			Use							
(8) Which	Voltage De	etection fu	nction	do you	use?						
	□ Not use □ Use \										
	Use Vdet	3									
Thank you coo	peration.										

\*4. Special item (Indicate none if there is not specified item)