

## R8C/36T-A Group A/D characteristics

Prepared on Feb. 24, 2012

Page

- 1 [A/D accuracy 10bit\(AVcc=Vref=5.0V Topr=25 degrees C\)](#)
- 2 [A/D accuracy 10bit\(AVcc=Vref=5.0V Topr=85 degrees C\)](#)
- 3 [A/D accuracy 10bit\(AVcc=Vref=5.0V Topr=-40 degrees C\)](#)
- 4 [A/D accuracy 10bit\(AVcc=Vref=3.3V Topr=25 degrees C\)](#)
- 5 [A/D accuracy 10bit\(AVcc=Vref=3.3V Topr=85 degrees C\)](#)
- 6 [A/D accuracy 10bit\(AVcc=Vref=3.3V Topr=-40 degrees C\)](#)
- 7 [A/D accuracy 10bit\(AVcc=Vref=3.0V Topr=25 degrees C\)](#)
- 8 [A/D accuracy 10bit\(AVcc=Vref=3.0V Topr=85 degrees C\)](#)
- 9 [A/D accuracy 10bit\(AVcc=Vref=3.0V Topr=-40 degrees C\)](#)
- 10 [A/D accuracy 10bit\(AVcc=Vref=2.2V Topr=25 degrees C\)](#)
- 11 [A/D accuracy 10bit\(AVcc=Vref=2.2V Topr=85 degrees C\)](#)
- 12 [A/D accuracy 10bit\(AVcc=Vref=2.2V Topr=-40 degrees C\)](#)

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=5.0V

Xin=20MHz φAD=20MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=5.0V

Xin=20MHz φAD=20MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=5.0V

Xin=20MHz φAD=20MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.3V

Xin=16MHz φAD=16MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.3V

Xin=16MHz φAD=16MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.3V

Xin=16MHz φAD=16MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.0V

Xin=10MHz φAD=10MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.0V

Xin=10MHz φAD=10MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.0V

Xin=10MHz φAD=10MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=2.0V

Xin=5MHz φAD=5MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=2.0V

Xin=5MHz φAD=5MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A/D accuracy 10bit

Type: R8C/36T-A Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=2.0V

Xin=5MHz φAD=5MHz One-shot mode

Prepared on Feb. 24, 2012



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.