


10-pin products: R5F10Y16 / R5F10Y14

IDD VS VDD(-40°C/HOCO_20/10/5/2.5/1.25MHz)

Prepared on Feb. 6th, 2013




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

10-pin products: R5F10Y16 / R5F10Y14

IDD VS VDD(+25°C/HOCO_20/10/5/2.5/1.25MHz)

Prepared on Feb. 6th, 2013




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

10-pin products: R5F10Y16 / R5F10Y14

IDD VS VDD(+85°C/HOCO_20/10/5/2.5/1.25MHz)

Prepared on Feb. 6th, 2013




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

10-pin products: R5F10Y16 / R5F10Y14

IDD VS VDD(STOP MODE)

Prepared on Feb. 6th, 2013




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

10-pin products: R5F10Y16 / R5F10Y14

IDD VS Ta(STOP MODE)

Prepared on Feb. 6th, 2013



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.