## Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: <a href="http://www.renesas.com">http://www.renesas.com</a>

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (<a href="http://www.renesas.com">http://www.renesas.com</a>)

Send any inquiries to http://www.renesas.com/inquiry.



REJ19B0163-0200

Mask ROM number	
-----------------	--

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30302MAP-XXXFP/GP MASK ROM CONFIRMATION FORM

	Date:	
	Section head	Supervisor
ъ	signature	signature
Receipt		
e		
$\simeq$		

		T							No	ote : Plea	ase cor	nplete all iter	ns marked	
*		Company						TEL	,		9 P	Submitted by	Supervisor	
	Customer	name						(	)		Issuance signature			
		Date issued	Date:								lssu sigr			
*	disks you discrepan Check tho	eet processes the give in to us, cy between to proughly the co s.5 inches 2H	and forms the contents of the	nem into n of these m ie mask fil	nasks nask fi les yo	. Hend les and lu give	e, we d the l in.	assun ROM o	ne lia data	ability pro to be bu	ovided rned in	that there is to products w	any	
	Microco	mputer type N	lo.:	□ M3030	)2MAI	P-XXX	FP			M30302	2MAP-)	KXXGP		
	File code	e:							(hex)					
	Mask file	e name:							.MSK (alpha-numeric 8-digit)					
*	separate submission	cification specification mark specification to Renesas 30302MAP-X IAP-XXXGP,s	ation sheet (1 s. XXFP, subm	for each p	ackaç	ge), att mark s	ach th	nat she	eet to shee	this ma	asking o	check sheet f	or	
*		onditions eference wher you ordered.	n of testing o	ur produc	ts, ple	ease re	ply to	the fo	llowi	ng ques	tions a	bout the usaç	ge of the	
	(1) Wh	ich kind of X	N-XOUT oscill	ation circ	uit is ι	used?								
		□ Ceramic	resonator			Quart	z-crys	stal os	cillat	or				
		□ External	clock input			Other	. (			)				

MHz

What frequency do you use?

 $f(X_{IN}) =$ 

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30302MAP-XXXFP/GP MASK ROM CONFIRMATION FORM

(2) Which	kind of X	CIN-XC	OUT os	cillatio	n circı	uit is us	sed?						
	Ceramic		Qua	rtz-cry	stal os	cillator							
	External clock input						Othe	er (			)		
What	requency	do you	use?										
	f(Xcin) =				kl	Hz							
(3) Which	operation	mode	do you	u use?	,								
☐ Single-chip mode ☐ Memory expansion mode													
(4) Which (Circle	operating the opera												
2.7 3.	0 3.3	3.5	3.8	4.0	4.2	4.5	4.7	5.0	5.3	5.5	5.7		
					+						(V	)	
(5) Which (Circle	operating the opera			•		•	e?						
-50 -4	0 -30	-20	-10	0	10	20	30	40	50	60	70	80	90
		_	_										(°C)
(6) Do you	I I	ı	ı	I	ı	I	I	I	I	I	ı	I	' '
	Not use		I	□ U	se								
(7) Do you	use IE (I	nter Ed	quipme	ent) bu	s func	ction?							
	Not use		1	□ U	se								

Thank you cooperation.

<sup>\*4.</sup> Special item (Indicate none if there is not specified item)