



Integrated Device Technology, Inc.
2975 Stender Way, Santa Clara, CA - 95054

PRODUCT/PROCESS CHANGE NOTICE (PCN)

PCN #: **10110-01** DATE: 10/19/01
Product Affected: IDT79RC32V332-XXXDP

MEANS OF DISTINGUISHING CHANGED DEVICES:

- ☒ Product Mark Package designator change from DP to DH
☐ Back Mark
☐ Date Code
☐ Other

Date Effective: 1/19/02

Contact: Bimla Paul

Title: Product Assurance Manager

Phone #: 408-654-6419

Fax #: 408-492-8362

E-mail: bimla.paul@idt.com

Attachment: ☒ Yes ☐ No

Samples: Available Upon Request

DESCRIPTION AND PURPOSE OF CHANGE:

- ☐ Die Technology
☐ Wafer Fabrication Process
☐ Assembly Process
☐ Equipment
☒ Material To convert 208 PQFP (DP) with exposed heat slug package to 208 PQFP (DH) package with internal Heat Spreader.
☐ Testing The ordering part# will change from IDT79RC32V332-XXXDP to IDT79RC32V332-XXXDH
☐ Manufacturing Site This conversion should not require any board layout changes since the foot print
☐ Data Sheet for these two packages are identical.
☐ Other

RELIABILITY/QUALIFICATION SUMMARY:

Qualification and reliability data is attached.

CUSTOMER ACKNOWLEDGMENT OF RECEIPT:

IDT records indicate that you require written notification of this change. Please use the acknowledgement below or E-Mail to grant approval or request additional information. If IDT does not receive acknowledgement within 30 days of this notice it will be assumed that this change is acceptable.

IDT reserves the right to ship either version manufactured after the process change effective date until the inventory on the earlier version has been depleted.

Customer: _____

☐ **Approval for shipments prior to effective date.**

Name/Date: _____

E-Mail Address: _____

Title: _____

Phone# /Fax# : _____

CUSTOMER COMMENTS:

IDT ACKNOWLEDGMENT OF RECEIPT:

RECD. BY: _____

DATE: _____



Integrated Device Technology, Inc.
2975 Stender Way, Santa Clara, CA - 95054

PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT - PCN # I0110-01

PCN Summary

To convert 208 PQFP (DP) with exposed heat slug package to 208 PQFP (DH) package with internal Heat Spreader.

This conversion should not require any board layout changes since the foot print for these two packages are identical.

Detail of Change

	Old Package (DP)	New Package DH (208 QFP with Heat Spreader)
Mold compound	KMC184-9	KMC184-9
Die Attach	8361J (ABELESTIK)	8390 (ABELESTIK)
Wire Bond	1.3 mil Au	1.3 mil Au
Lead Finish	Solder Plate	Solder Plate
Heat Spreader	Exposed Heat slug	Internal Heat spreader
Thermal Characteristics	Theta Jc = 2.4 °C/W Theta Ja = 17 °C/W	Theta Jc = 6.4 °C/W Theta Ja = 19.4 °C/W
Assembly Location	IDT Penang (Malaysia)	IDT Penang (Malaysia)
Package Thickness	3.4 mm	3.4 mm

Conversion schedule (Estimated)

Sample Availability

Production Shipments

IDT79RC32V332-XXXDH

Available

1/19/02



Integrated Device Technology, Inc.
2975 Stender Way, Santa Clara, CA - 95054

PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT - PCN #: I0110-01

Qualification Results

Test Vehicle: 79RC32V332

	Sample Size/ Rejects
Package Moisture Characterization (Level 3)	11/0
Physical Dimension : Mil-std 883, Method 2016	5/0
Bake and Ball Shear Test	5/0
Wire Pull Test	5/0
Internal Visual Inspection, Mil-std 883, Method 2009	5/0
External Visual Inspection, Mil-std 883, Method 2010	25/0
S.A.T./Dye Penetration Test	10/0
X-ray Examination	45/0

Characterization Data:

Characterization Data is available upon request.