R20TS0595EJ0100

Rev.1.00

Jul. 01, 2020

# [Notes]

**RX** Family

CAN API Firmware Integration Technology,

# RX Driver Package

## Outline

When using the products in the title, note the following point.

1. Configuration by using the Smart Configurator

## 1. Configuration by Using the Smart Configurator

## 1.1 Applicable Products

(1) RX Family CAN API Firmware Integration Technology (CAN FIT module)

The applicable revision numbers and document numbers are as follows.

CAN FIT module revision number	Document number
Rev.2.13	R01AN2472EU0213
Rev.2.14	R01AN2472EU0214
Rev.2.15	R01AN2472EU0215
Rev.3.00	R01AN2472EU0300
Rev.3.10	R01AN2472EU0310
Rev.3.11	R01AN2472EU0311
Rev.3.20	R01AN2472EU0320

# Table 1.1 CAN FIT module applicable products

#### (2) RX Driver Package

\_

The CAN FIT module in (1) is also included in the RX Driver Package. The product names and revision numbers of the applicable RX Driver Package and the revision numbers of the CAN FIT module are as follows.

Table 1.2	Products which include the CAN FIT module (1/2)
-----------	---

RX Driver Package product name	RX Driver Package revision number	Document number	Revision number of the included CAN FIT module
RX Family RX Driver Package Ver.1.16	Rev.1.16	R01AN4471EJ0116	Rev.2.13
RX Family RX Driver Package Ver.1.18	Rev.1.18	R01AN4659EJ0118	Rev.2.14
RX Family RX Driver Package Ver.1.19	Rev.1.19	R01AN4677EJ0119	Rev.2.15
RX Family RX Driver Package Ver.1.20	Rev.1.20	R01AN4794EJ0120	Rev.3.00
RX Family RX Driver Package Ver.1.22	Rev.1.22	R01AN4873EJ0122	Rev.3.10

# **RENESAS TOOL NEWS**

RX Driver Package product name	RX Driver Package revision number	Document number	Revision number of the included CAN FIT module
RX Family RX Driver Package Ver.1.23	Rev.1.23	R01AN4976EJ0123	Rev.3.11
RX Family RX Driver Package Ver.1.24	Rev.1.24	R01AN5267EJ0124	Rev.3.11
RX Family RX Driver Package Ver.1.25	Rev.1.25	R01AN5371EJ0125	Rev.3.20

Table 1.3Products which include the CAN FIT module (2/2)

## 1.2 Applicable Devices

RX651 group

#### 1.3 Details and Conditions

CAN Channel 1 cannot be configured by using the Smart Configurator.

Value for 'Using CAN Channel 1' cannot be changed as shown in the image below.

	Property	Value	
filter text	✓ ☺ Configurations		
	# Interrupt vs. Polled Mode	Use interrupt	
≥ Startup	# The CAN0 interrupt level	2	
Generic	# The CAN1 interrupt level	2	
🔮 r_bsp	# The CAN2 interrupt level	2	
Drivers	# Select CAN ID-type	Standard 11-bit CAN ID	
Communications	# Using CAN Channel 0	Use the CAN0 channel	
😵 r_can_rx	# Configure the CAN0 RX pin to be used.	RX64M, RX65N, RX71M, RX72M: P33	
	# Configure the CAN0 TX pin to be used.	RX64M, RX65N, RX71M, RX72M: P32	
	# Using CAN0 Enable and Standby control pins	No transciever control pins	
	# Configure CAN0 TRX STB port	PORTO	
	# Configure CAN0 TRX STB port bit	0	
	# Configure CAN0 STB Level	Low to enable	
	# Configure CAN0 TRX Enable port	PORTO	
	# Configure CAN0 TRX Enable port bit	0	
	# Configure CAN0 Enable logic level	Low to enable	
	# Using CAN Channel 1	Do not use the CAN1 channel	



#### 1.4 Workaround

Add the processing shown in red to r\_can\_rx\_vX.XX.mdf (Note1) in the CAN FIT module.

Note1: vX.XX is a revision number.

[CAN FIT module Rev.2.13, Rev.2.13, and Rev.2.15 line 162]

· Before modification

After modification

#### [CAN FIT module Rev.3.00 line 162]

Before modification

· After modification



[CAN FIT module Rev.3.10, Rev.3.11 line 202]

 $\cdot$  Before modification

After modification

[CAN FIT module Rev.3.20 line 202]

· Before modification

----- (Omitted)------

After modification

#### 1.5 Schedule for Fixing the Problem

This problem will be fixed in the next version.



## **Revision History**

		Description	
Rev.	Date	Page	Summary
1.00	Jul.01.20	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URL in the Tool News also may be subject to change or become invalid without prior notice.

#### **Corporate Headquarters**

TOYOSU FORESIA, 3- 2- 24 Toyosu, Koto-ku, Tokyo 135- 0061, Japan

www.renesas.com

#### Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

#### **Contact information**

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit: <a href="http://www.renesas.com/contact/">www.renesas.com/contact/</a>

© 2020 Renesas Electronics Corporation. All rights reserved. TS Colophon 4.1

