

[Notification]

R20TS0175EJ0100

Rev.1.00

Jun. 16, 2017

Isolator for E1 Emulator Compatible with E2 Emulator and E2 Emulator Lite

Outline


This news introduces the Isolator for the E1 Emulator, which can be used for E1 emulator, E2 emulator, and E2 emulator Lite.

1. Overview

The isolator for the E1 emulator is used for debugging environments in which there is a potential difference between the user system GND and the host PC GND. You can choose one of two product types, according to the MCU in use. For details, refer to section 2.



Isolator for the E1 Emulator
R0E000010ACB10



Isolator for the E1 Emulator
R0E000010ACB20

For details about the isolator for the E1 emulator, see the following URL.

<https://www.renesas.com/products/software-tools/tools/emulator/on-chip-debuggers--options.html#isolator>

2. Products Compatible with the Isolator

Product name	Product part number	Supported emulators	Supported MCUs			
			RX	RL78	RH850	R8C
Isolator for the E1 emulator	R0E000010ACB10	E2 emulator Lite*	Y			
		E1 emulator	Y			Y
		E8a emulator				Y
	R0E000010ACB20	E2 emulator*			Y	
		E2 emulator Lite*		Y		
		E1 emulator		Y	Y	

* The isolator can also be used for the E2 emulator and E2 emulator Lite, although these emulators are not described in the user's manual for the isolator for the E1 emulator.

3. How to Purchase the Product

For product ordering, contact your local Renesas Electronics marketing office or distributor with the following information. For product pricing, make inquiries in the same manner.

Product part number	Orderable part name
R0E000010ACB10	As at left
R0E000010ACB20	As at left

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Jun. 16, 2017	-	First edition issued

TOYOSU FORESIA, 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan
 Renesas Electronics Corporation

■Inquiry
<https://www.renesas.com/contact/>

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication.

Now changed or invalid information may be included. The URLs in the Tool News also may be subject to change or become invalid without prior notice.

All trademarks and registered trademarks are the property of their respective owners.