

[Released on the web]

R20TS0562EJ0100

Rev.1.00

RZ Family RZ/A2M Software Package V7.00

Apr. 01, 2020

Outline

The RZ/A2M Software Package V7.00 has been released on the web as a RZ/A2M FreeRTOS™ software development kit.

This product is available free of charge.

1. Product Features

(1) What is a RZ/A2M Software Package?

The RZ/A2M Software Package is a software development kit that supports various functions of the RZ/A2M group, such as DRP (Dynamically Reconfigurable Processor), camera input, LCD output, and image adjustment. It consists of device drivers, middleware, sample applications for the RZ/A2M and FreeRTOS OS.




Figure 1 RZ/A2M Software Package Structure

(2) Details of the update

The details of the update by RZ/A2M Software Package V7.00 are as follows.

- The following functions have been newly added to the RZ/A2M Simple Applications Package:
[Simple Applications Package] RZ/A2M Simple Applications Package
 - Firmware update sample program
This sample program rewrites the serial flash memory on the evaluation board to an update application (via UART), and then runs the application. The sample program can be used for reference in development of application update functions.
 - SDIO function (for the SD driver and the SD driver sample program)
This program can be used for reference of SDIO-based Wi-Fi module control. High Speed mode^(Note 1) and Default Speed mode^(Note 2) are supported as the SDIO communication speed.
Note 1: SD clock: 50 MHz max.
Note 2: SD clock: 25 MHz max.
 - GPT-PWM sample program
This sample program outputs PWM waveforms by using the general purpose PWM timer (GPT).
 - Touch screen sample program
This sample program controls the touch screen according to the data which is input from the FT5216 (manufactured by FocalTech) over the I²C bus.
URL of FocalTech Systems Co., Ltd.: <http://www.focaltech-systems.com/en>

2. Supported Devices

RZ/A2M group

3. Operating Environment

The operating environment mainly consists of the following:

- e² studio integrated development environment V7.7.0 or later
<https://www.renesas.com/e2studio>
- Compiler: GNU Arm Embedded Toolchain (6-2017-q2)
<https://developer.arm.com/tools-and-software/open-source-software/developer-tools/gnu-toolchain/gnu-rm/downloads>
- Supported board: RZ/A2M Evaluation Board Kit
<https://www.renesas.com/rz-a2m-evaluation-board-kit>
- Emulator: SEGGER J-link LITE (included in the board above)
- Development assistance tool: Smart Configurator, QE for Display, QE for Camera

4. Obtaining the Product

Obtain RZ/A2M Software Package V7.00 from the URL below.

<https://www.renesas.com/rza2-software-development-kit-free-rtos>

5. Using the Product

Download the desired package from the URL shown in section 4. Decompress the zip file, then start building your project in e² studio. In e² studio, peripheral functions and middleware can be easily added to an existing project by using Smart Configurator.

Refer to the following user's guide for details.

RZ/A2M Smart Configurator User's Guide: e² studio

Document number: R20AN0583 ^(Note)

Note: The last 6 digits are omitted.

<https://www.renesas.com/search/keyword-search.html?q=r20an0583&genre=document&redirect=true>

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Apr.01.20	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URLs in the Tool News also may be subject to change or become invalid without prior notice.

Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,
Koto-ku, Tokyo 135-0061, Japan
www.renesas.com

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:
www.renesas.com/contact/