

Option List HD6432148SV(W),HD6432147SV(W),HD6432138SV(W),HD6432137SV(W)

Please check off the appropriate applications by , or within and enter the necessary information.

(1) ROM size

<input type="checkbox"/> HD6432148SV(W) : 128-kbytes
<input type="checkbox"/> HD6432147SV(W) : 64-kbytes
<input type="checkbox"/> HD6432138SV(W) : 128-kbytes
<input type="checkbox"/> HD6432137SV(W) : 64-kbytes

Date of order	
Customer	
Department	
Name	
ROM code Name	
LSI number (Renesas entry)	

(2) System Oscillator

<input type="checkbox"/> Crystal oscillator	f =	MHz
<input type="checkbox"/> External clock	f =	MHz

(3) Power Supply Voltage/Maximum Operating Frequency

<input type="checkbox"/> Vcc = 2.7V to 3.6V (10MHz max.)

Notes: 1. The power supply voltage and maximum operating frequency of the selected version should also be entered on the Single-Chip Microcomputer Ordering Specifications sheet.

(4) I²C Bus Option

<input type="checkbox"/> I ² C bus used
<input type="checkbox"/> I ² C bus not used

Notes: 1. The "I²C bus used" option includes all cases where data transfer is performed via the SCL and SDA pins using the on-chip I²C bus interface function (hardware module). If the I²C bus interface function (hardware module) is used, various bus interface with different bus specifications and names are also included in "I²C bus used".

2. When "I²C bus not used" is selected, values cannot be set in registers relating to the I²C bus interface (ICCR,ICSR,ICDR,ICMR etc...). These register always read H'FF. With emulators, F-ZTAT versions, the "I²C bus used" option is selected. If the "I²C bus not used" option is selected, it is essential to ensure that "I²C bus interface related registers are not accessed.

For the Microcomputer Family item in 1.Basic Specifications in the Single-Chip Microcomputer Ordering Specifications Sheet *, please specify the appropriate item from the table below according to the combination of items 1 and 4 above. If the "I²C bus used" option is selected, please also specify this in Special Specifications(Product Specifications, Mark Specifications, etc....) in 1.Basic specifications.

* Please contact the relevant sales department for information on the Single-Chip Microcomputer Ordering Specifications Sheet.

ROM Size \ I ² C	I ² C bus used	I ² C bus not used
128-Kbytes	HD6432148SVW	HD6432148SV
64-Kbytes	HD6432147SVW	HD6432147SV
128-Kbytes	HD6432138SVW	HD6432138SV
64-Kbytes	HD6432137SVW	HD6432137SV