

[Upgrade to version]

R20TS0753EJ0100

Rev.1.00

Solution Toolkit

Sep. 16, 2021

QE for Capacitive Touch V2.0.0:

Development Assistance Tool for Capacitive Touch Sensor

Outline

We have upgraded the version of Development Assistance Tool for Capacitive Touch Sensor to V2.0.

Major functional improvements and changes are as follows.

- Addition and changes in supported MCUs
- Release of the standalone edition QE for Capacitive Touch

1. Products and Versions to Be Upgraded

- QE for Capacitive Touch V1.4.1 for the RA and RL78 families (RA, RL78, Synergy)
- QE for Capacitive Touch V1.1.0 for the RX family

How to check the version: In e² studio, select [Help] and then [e² studio Installation Details].

Open the [Installed Software] tab.

Check the version of Renesas QE for Capacitive Touch.

2. Descriptions of the Upgrade

The major revision points are as follows. For details and how to install the product, see the following release note.

- QE for Capacitive Touch V2.0.0 Release Note
<https://www.renesas.com/search?keywords=r20ut5041>

2.1 Addition and Changes in Supported MCUs

(1) The following group has been added to the set of supported MCUs.

RX family: RX671 group

(2) An MCU that contains capacitive touch sensors for all Renesas products is now supported.

QE for Capacitive Touch for the RA and RL78 families (RA, RL78, Synergy) and QE for Capacitive Touch for the RX family have been integrated into a single package.

For the supported MCUs, refer to the URL below.

<https://www.renesas.com/qe-capacitive-touch>

2.2 Improved Functionality

We will release the standalone edition of QE for Capacitive Touch (development assistance tool for capacitive touch sensor), which has been released as a plug-in for the e² studio integrated development environment. The standalone edition of QE for Capacitive Touch operates in linkage with the CS+ integrated development environment and IAR Embedded Workbench®, which is an integrated development tool from Renesas partners.

The standalone edition supports the following functions.

- (1) Automatic sensitivity tuning of the touch sensor by using a serial connection

This function is available in RA2L1, RA2E1, and RL78/G23.

- (2) Monitoring of a touch input status by using a serial connection

3. Obtaining the Product

Download the installer for QE for Capacitive Touch V2.0.0 from the following URL.

<https://www.renesas.com/qe-capacitive-touch>

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Sep.16.21	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URLs in the Tool News also may be subject to change or become invalid without prior notice.

Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,
Koto-ku, Tokyo 135-0061, Japan

www.renesas.com

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:

www.renesas.com/contact/