


uPD70F3746

## IOL VS VOL (25°C/P02)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3746

## IOL VS VOL (25°C/P05)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3746

## IOL VS VOL (25°C/P10)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3746

## IOL VS VOL (25°C/P30)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3746

## IOL VS VOL (25°C/P70)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3746

## IOL VS VOL (25°C/P90)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3746

## IOL VS VOL (25°C/PCT0)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3746

## IOL VS VOL (25°C/PDH4)

Prepared on August 6, 2008



The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.